



A : Axial
 AO : Axial with integrated reservoir
 R : Radial
 RO : Radial with integrated reservoir
 O : Yes

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
			125 MSX 2015 Honda Grom (USA)		AO	NA	O	CC	BRO12,BAO12													
	JC40 e13/0317		125 CBF/R -14		AO	NA	O	CC	BRO12,BAO12													
			125 CB R Neo Sport Café 2019		AO	NA	O	CC	BRO12,BAO12													
	MC41 e13/0457		250 CBR 11-13 Byrde cal.ohne ABS	297mm94/110m 6L 6,5 13,25 6d + ENTH14L20 x 2	AO	O	O	CC	BRO12,BAO12		4	A		H02			H13RDF+ENT H14L20 x 2	O		H13RDI or A.M disc with TÜV or Orig.	297	
	MC41 e13/0457		250 CBR 11-13 Byrde cal.ohne ABS	297mm94/110m 6L 6,5 13,25 6d + ENTH14L20 x 2	AO	NA		CC	BRO10,BAO10		4			H02			H13RDF+ENT H14L20 x 2	O		H13RDI or A.M disc with TÜV or Orig.	297	
raus da ABS	MC41 e13/0457		250 CBR 11-13 (ABS)Nissin Cal.	297mm94/110m 6L 6,5 13,25 6d + ENTH14L20 x 2	AO	O	O	CC	BRO12,BAO12		4	A		H02			H13RDF+ENT H14L20 x 2	O		H13RDI or A.M disc with TÜV or Orig.	297	
raus da ABS	MC41 e13/0457		250 CBR 11-13 (ABS)Nissin Cal.	297mm94/110m 6L 6,5 13,25 6d + ENTH14L20 x 2	AO	O		CC	BRO10,BAO10		4			H02			H13RDF+ENT H14L20 x 2	O		H13RDI or A.M disc with TÜV or Orig.	297	
	NC51 e13/0673		CB300F/CBr300R 2014 15	297mm94/110m 6L 6,5 13,25 6d + ENTH14L20 x 2	AO	O	O	CC	BRO12,BAO12			A		H02			H13RDF+ENT H14L20 x 2	O		H13RDI or A.M disc with TÜV or Orig.	297	
	NC51 e13/0673		CB300F/CBr300R 2014 15	297mm94/110m 6L 6,5 13,25 6d + ENTH14L20 x 2	AO	O		CC	BRO10,BAO10		4			H02			H13RDF+ENT H14L20 x 2	O		H13RDI or A.M disc with TÜV or Orig.	297	
			CBR300 2017		AO	O	O	CC	BRO12,BAO12		4	A		H02			H13RDF+ENT H14L20 x 2	O		H13RDI or A.M disc with TÜV or Orig.	297	
			CBR300 2017		AO	O		CC	BRO10,BAO10		4			H02			H13RDF+ENT H14L20 x 2	O		H13RDI or A.M disc with TÜV or Orig.	297	
			CB400F 97-00	296 62/78 6L 6,5 6d 18,25 + distance	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02		H5RGF + distance	H5RDF + distance	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297	

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	PC45 e13/0601		500 CB F/FA PC45 2013-2019		AO	NA	O	CC	BRO12,BAO12													
	PC46 e13/0622		500 CB X/XA MLHPC46B. 2013-2019		AO	NA	O	CC	BRO12,BAO12													
			500 CBR-R 2019	320mm	AO	NA	O	CC	BRO12,BAO12													
			500 CMX500 Rebel 2019		AO	O	O	CC	BRO12,BAO12		4	A		H02								
			500 CMX500 Rebel 2019		AO	O		CC	BRO10,BAO10		4			H02								
	PC34 K016		600 Hornet 98-99	296 62/78 6L 6,5 6d 18,25 + distance	AO	O	O		BRO/BR14, BAO/BA14		4	A	H12	H02			H5RGF + distance	H5RDF + distance	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	PC34 K016		600 Hornet 98-99	296 62/78 6L 6,5 6d 18,25 + distance	AO	O			BRO/BR12, BAO/BA12		4		H12	H02			H5RGF + distance	H5RDF + distance	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	PC34 e13 / 0020		600 Hornet 00-01	297mm 58/74 6L 6,5 6d 18h + distance 4mm	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02			H10RGF + distance	H10RDF + distance	O	H10RGI or A.M disc with TÜV or Orig.	H10RDI or A.M disc with TÜV or Orig.	297
	PC34 e13 / 0020		600 Hornet 00-01	297mm 58/74 6L 6,5 6d 18h + distance 4mm	AO	O		CC	BRO/BR12, BAO/BA12		4		H12	H02			H10RGF + distance	H10RDF + distance	O	H10RGI or A.M disc with TÜV or Orig.	H10RDI or A.M disc with TÜV or Orig.	297
	PC36 e3 / 0101		600 Hornet S 02-06	297mm 58/74 6L 6,5 6d 18h + distance 4mm	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02			H10RGF + distance	H10RDF + distance	O	H10RGI or A.M disc with TÜV or Orig.	H10RDI or A.M disc with TÜV or Orig.	297
	PC36 e3 / 0101		600 Hornet S 02-06	297mm 58/74 6L 6,5 6d 18h + distance 4mm	AO	O		CC	BRO/BR12, BAO/BA12		4		H12	H02			H10RGF + distance	H10RDF + distance	O	H10RGI or A.M disc with TÜV or Orig.	H10RDI or A.M disc with TÜV or Orig.	297
	PC41 e3 / 0454		600 Hornet 07-11	297mm94/110m 6L 6,5 13,25 6d	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02			H13RGF + distance	H13RDF + distance	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
	PC41 e3 / 0454		600 Hornet 07-11	297mm94/110m 6L 6,5 13,25 6d	AO	O		CC	BRO/BR12, BAO/BA12		4		H12	H02			H13RGF + distance	H13RDF + distance	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
raus da ABS	PC41 e3 / 0454		600 Hornet 07-13 ABS	297mm94/110m 6L 6,5 13,25 6d	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02			H13RGF + distance	H13RDF + distance	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
raus da ABS	PC41 e3 / 0454		600 Hornet 07-13 ABS	297mm94/110m 6L 6,5 13,25 6d	AO	O		CC	BRO/BR12, BAO/BA12		4		H12	H02			H13RGF + distance	H13RDF + distance	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
	PC 38 e3 / 0231		600 CBF N+S 04-07		AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	PC 38 e3 / 0231		600 CBF N+S 04-07		AO	O		CC	BRO/BR12, BAO/BA12		4		H12	H02			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	" " 6 Kolben		600 CBF N+S 04-07		AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	" " 6 Kolben		600 CBF N+S 04-07		AO	O		CC	BRO/BR12, BAO/BA12		4		H12	H02			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	PC43 e3 / 0490		600 CBF N+S+R 2008-13	297mm94/110m 6L 6,5 13,25 6d + distance dazu	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02			H13RGF + distance 5mm	H13RDF + distance 5mm	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
	PC43 e3 / 0490		600 CBF N+S+R 2008-13	297mm94/110m 6L 6,5 13,25 6d + distance dazu	AO	O	O	CC	BRO/BR12, BAO/BA12		4		H12	H02			H13RGF + distance 5mm	H13RDF + distance 5mm	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
	PC37 e4 / 0190		600 CBR RR 03-	310mm 94/110 6L 6 6d 12,5h	A	O	O	CC	BR14/BA14		4	A	H11	H01	O		H18RGF	H18RDF	O	H18RGI or A.M with TÜV or Orig.	H18RDI or A.M with TÜV or Orig.	310
	PC37 e4 / 0190	O	600 CBR RR 03-	310mm 94/110 6L 6 6d 12,5h	A	O		CC	BR12/BA12		4		H11	H01	O		H18RGF	H18RDF	O	H18RGI or A.M with TÜV or Orig.	H18RDI or A.M with TÜV or Orig.	310
	PC37 e4 / 0190		600 CBR RR 04-05	310mm 94/110 6L 6 6d 12,5h	A	O	O	CC	BR14/BA14			A	4R11A	4R01A	O		H18RGF	H18RDF	O	H18RGI or A.M with TÜV or Orig.	H18RDI or A.M with TÜV or Orig.	310
	PC 40 e4*2002/24*1247		600 CBR RR 06- ohne ABS	310mm 94/110 6L 6 6d 12,5h	R	O	O	CC	BR14/BA14			A	4R11A	4R01A	O		H18RGF	H18RDF	O	H18RGI or A.M with TÜV or Orig.	H18RDI or A.M with TÜV or Orig.	310
	PC 40 e4 / 1247	O	600 CBR RR 2009- with ABS	Supprime l'ABS (si montage des disques)	R	O	O	CC	BR14/BA14			A	4R11A	4R01A	O		H18RGF	H18RDF	O	H18RGI or A.M with TÜV or Orig.	H18RDI or A.M with TÜV or Orig.	310
			CBR 600 F/R 91-94	disques Ø276 centre 144	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02					O	orig. or A.M. disc with TÜV	orig. or A.M. disc with TÜV	
			CBR 600 F/R 91-94	disques Ø276 centre 144	AO	O		CC	BRO/BR12, BAO/BA12		4		H12	H02					O	orig. or A.M. disc with TÜV	orig. or A.M. disc with TÜV	
	PC 31 H002		CBR 600 F 95-98	297mm 58/74 6L 6,5 6d 18h	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02			H10RGF	H10RDF	O	H10RGI or A.M disc with TÜV or Orig.	H10RDI or A.M disc with TÜV or Orig.	297
	PC 31 H002		CBR 600 F 95-98	297mm 58/74 6L 6,5 6d 18h	AO	O		CC	BRO/BR12, BAO/BA12		4		H12	H02			H10RGF	H10RDF	O	H10RGI or A.M disc with TÜV or Orig.	H10RDI or A.M disc with TÜV or Orig.	297
	PC35 K294		CBR 600 F 99-00	296 62/78 6L 6,5 6d 18,25	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	PC35 K294		CBR 600 F 99-00	296 62/78 6L 6,5 6d 18,25	AO	O		CC	BRO/BR14, BAO/BA14		4		H11	H01	O		H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	PC35 e4 / 0101		CBR 600 FS PC3501 01-02 Inj.	297mm	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H13RGF + distance	H13RDF + distance	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
	PC35 e4 / 0101		CBR 600 FS PC3501 01-02 Inj.	297mm	AO	O	O	CC	BRO/BR12, BAO/BA12		4		H11	H01	O		H13RGF + distance	H13RDF + distance	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
raus da ABS	PC41 e3 / 0454	O	CBR600 F4 PC41 2011-ABS	297mm	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02			H13RGF + distance 2mm	H13RDF + distance 2mm	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
raus da ABS	PC41 e3 / 0454	O	CBR600 F4 PC41 2011-ABS	297mm	AO	O	O	CC	BRO/BR12, BAO/BA12		4		H12	H02			H13RGF + distance 2mm	H13RDF + distance 2mm	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
	PC 38 e3 / 0231		600 CB S 06	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	PC 38 e3 / 0231		600 CB S 06	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR12, BAO/BA12		4		H12	H02			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	RC75 e13 / 0678	O	CB 650F+ABS RC75 from 2014-17	320mm 6Loch	AO	NA	O	CC	BRO/BR14, BAO/BA14													
raus da ABS		O	CB 650F ABS/dual from 2018		AO	NA	O	CC	BRO/BR14, BAO/BA14													
		O	CB 650R Neo Sport Café ABS		AO	O	O	CC	BRO/BR14, BAO/BA14			A	4R11	4R01	O		H18RGF	H18RDF	O	H18RGI	H18RDI	310
raus da ABS	RC74 e13 /0678	O	CBR 650F ABS RC74 from 2014-17		AO	NA	O	CC	BRO/BR14, BAO/BA14													
		O	CBR 650R ABS 2018-22		AO	O	O	CC	BRO/BR14, BAO/BA14			A	4R16	4R06	O		H35RDF	H35RDF	O	H35RGI	H35RDI	310
	RC47 K027		650 NTV Deauville 98-06	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	RC47 K027		650 NTV Deauville 98-06	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR12, BAO/BA12		4		H12	H02			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	RC31 EBE		650 NT HAWK 88-90	320mm 144/166 6L 10,5 6d 5,5	AO	O	O	CC	BRO/BR12, BAO/BA12		4	A	H12				T3LGF		O	T3LGI or A.M disc with TÜV or Orig.		320
	RC31 EBE		650 NT HAWK 88-90	320mm 144/166 6L 10,5 6d 5,5	AO	O	O	CC	BRO/BR12, BAO/BA12		4	A	H12		O	O	T3BF		O	T3BI		320

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
raus da ABS		O	750 X-ADV Integra 17-18		AO	O	O		BRO/BR14, BAO/BA14			A	4R11A	4R01A	O		H13RGF	H13RDF	O	H13RGI	H13RDI	297
	RD04 F371		CB 750 F 81	CLASSIC	AO	O	O	CC	BRO/BR14, BAO/BA14	2			H18	H08	O	O	H24RBF	H24RBF	O	H24RBI	H24RBI	291
	RD04 F371		CB 750 F 81	CLASSIC	AO	O	O	CC	BRO/BR12, BAO/BA12	2			H18	H08	O	O	H24RBF	H24RBF	O	H24RBI	H24RBI	291
	RD04 F371		CB 750 F 82-83	CLASSIC Only Beringer disc or caliper+disc	AO	O	O	CC	BRO/BR14, BAO/BA14	2			H18	H08	O	O	H24RBF	H24RBF	O	H24RBI	H24RBI	291
	RD04 F371		CB 750 F 82-83	CLASSIC Only Beringer disc or caliper+disc	AO	O	O	CC	BRO/BR12, BAO/BA12	2			H18	H08	O	O	H24RBF	H24RBF	O	H24RBI	H24RBI	291
			CB 750 F / X+C84-89 & Nighthawk-88	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	NA	O	CC	BRO/BR14, BAO/BA14													
			CB 750 89 -92 Nighthawk		AO	O	O	CC	BRO/BR12, BAO/BA12		4	A	H12				T3LGF		O	T3LGI		320
			CB 750 89 -92 Nighthawk		AO	O	O	CC	BRO/BR12, BAO/BA12		4	A	H12		O	O	T3BF		O	T3BI		320
			CB 750 89 -92 Nighthawk		AO	O	O	CC	BRO/BR10, BAO/BA10		4		H12				T3LGF		O	T3LGI		320
			CB 750 89 -92 Nighthawk		AO	O	O	CC	BRO/BR10, BAO/BA10		4		H12		O	O	T3BF		O	T3BI		320
	RD04 F371		CB 750 F/F2/K 81-95	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	NA	O	CC	BRO/BR14, BAO/BA14								H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	RC42 G 035		CB 750 Seven Fifty 92-01	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H12	H02			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	RC42 G 035		CB 750 Seven Fifty 92-01	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR12, BAO/BA12		4		H12	H02			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	RC44 H741		VT 750 C2 custom 97-03	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR12, BAO/BA12		4	A	H12				H2LGF		O	H2LGI or A.M disc with TÜV or Orig.		297
	RC44 H741		VT 750 C2 custom 97-03	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR10, BAO/BA10		4		H12				H2LGF		O	H2LGI or A.M disc with TÜV or Orig.		297
	RC48 e9 / 0085		VT 750 D Black widow 01-04	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR12, BAO/BA12		4	A	H12				H2LGF		O	H2LGI or A.M disc with TÜV or Orig.		297
	RC48 e9 / 0085		VT 750 D Black widow 01-04	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR10, BAO/BA10		4		H12				H2LGF		O	H2LGI or A.M disc with TÜV or Orig.		297

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	RC 50 e4 / 0239		VT 750 C Shadow RC50 04-07 RC50/08-09 Ohne ABS RC50/10 2010- with ABS	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR12, BAO/BA12		4	A	H12				H2LGF		O	H2LGI or A.M disc with TÜV or Orig.		297
	RC 50 e4 / 0239		VT 750 C Shadow RC50 04-07 RC50/08-09 Ohne ABS RC50/10 2010- with ABS	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O		CC	BRO/BR10, BAO/BA10		4		H12				H2LGF		O	H2LGI or A.M disc with TÜV or Orig.		297
	RC53 e4 / 1355		VT 750C Spirit & black spirit 07 -14	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR12, BAO/BA12		4	A		H02				H2LDF	O		H2LDI or A.M disc with TÜV or Orig.	297
	RC53 e4 / 1355		VT 750C Spirit & black spirit 07 -14	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR10, BAO/BA10		4			H02				H2LDF	O		H2LDI or A.M disc with TÜV or Orig.	297
	RC58 e4 / 2422		VT750 S JH2RC58A 2011-	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR12, BAO/BA12		4	A		H02				H2LDF	O		H2LDI or A.M disc with TÜV or Orig.	297
	RC58 e4 / 2422		VT750 S JH2RC58A 2011-	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CC	BRO/BR10, BAO/BA10		4			H02				H2LDF	O		H2LDI or A.M disc with TÜV or Orig.	297
	RC43 G412		VF 750 C Magna JH2RC43a 93-00	320mm 144/166 6L 10,5 6d 5,5	AO	O	O	CC	BRO/BR12, BAO/BA12		4	A	H12				T3LGF		O	T3LGI or A.M disc with TÜV or Orig.		320
	RC43 G412		VF 750 C Magna JH2RC43a 93-00	320mm 144/166 6L 10,5 6d 5,5	AO	O	O	CC	BRO/BR12, BAO/BA12		4	A	H12		O	O	T3BF		O	T3BI		320
	RC43 G412		VF 750 C Magna JH2RC43a 93-00	320mm 144/166 6L 10,5 6d 5,5	AO	O	O	CC	BRO/BR10, BAO/BA10		4		H12				T3LGF		O	T3LGI or A.M disc with TÜV or Orig.		320
	RC43 G412		VF 750 C Magna JH2RC43a 93-00	320mm 144/166 6L 10,5 6d 5,5	AO	O	O	CC	BRO/BR10, BAO/BA10		4		H12		O	O	T3BF		O	T3BI		320
	RC30 E840		RC 30 VFR750R	310mm	A	O	O	CR12/CA12	BR14/BA14 + Orig. MC		4		H14	H04	O		H21RGF	H21RDF	O	H21RGI or A.M. disc with TÜV or Orig.	H21RDI or A.M. disc with TÜV or Orig.	310
	RC30 E840		RC 30 VFR750R	310mm	A	O		CR12/CA12	BR12/BA12		4		H14	H04	O		H21RGF	H21RDF	O	H21RGI or A.M. disc with TÜV or Orig.	H21RDI or A.M. disc with TÜV or Orig.	310
	RC 45		RC45 RVF750 RR 94-		A	O	O	CR12/CA12	BR14/BA14 + Orig. MC		4	A	H11	H01	O		H3RGF	H3RDF	O	H3RGI or A.M. disc with TÜV or Orig.	H3RDI or A.M. disc with TÜV or Orig.	297

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	RC 45		RC45 RVF750 RR 94-		A	O		CR12/CA12	BR12/BA12		4		H11	H01	O		H3RGF	H3RDF	O	H3RGI or A.M. disc with TÜV or Orig.	H3RDI or A.M. disc with TÜV or Orig.	297
	RC24 E159		750 VFR F,FL,FM,FK 88-89	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14								H2LGF	H2LDF	O	H2LGI or A.M. disc with TÜV or Orig.	H2LDI or A.M. disc with TÜV or Orig.	297
	RC36 F372		750 VFR 89-93	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			H2LGF	H2LDF	O	H2LGI or A.M. disc with TÜV or Orig.	H2LDI or A.M. disc with TÜV or Orig.	297
	RC36 F372		750 VFR 89-93	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	O		CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4		H12	H02			H2LGF	H2LDF	O	H2LGI or A.M. disc with TÜV or Orig.	H2LDI or A.M. disc with TÜV or Orig.	297
	RC36 F372		VFR 750 F 94-97	297mm 58/74 6L 6,5 6d 18h	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			H10RGF	H10RDF	O	H10RGI or A.M. disc with TÜV or Orig.	H10RDI or A.M. disc with TÜV or Orig.	297
	RC36 F372		VFR 750 F 94-97	297mm 58/74 6L 6,5 6d 18h	AO	O		CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4		H12	H02			H10RGF	H10RDF	O	H10RGI or A.M. disc with TÜV or Orig.	H10RDI or A.M. disc with TÜV or Orig.	297
raus da ABS	RC60 e4 /2673		800 CROSS RUNNER 11-14	296 62/78 6L 6,5 6d 18,25	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
raus da ABS	RC60 e4 /2673		800 CROSS RUNNER 11-14	296 62/78 6L 6,5 6d 18,25	AO	O		CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4		H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
		O	800 CROSS RUNNER 15-19 ABS		AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14			A	4R11A	4R01A	O		H5RGF	H5RDF		H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	RC46 K011		VFR800 RC46A 02-05 + W 98-01	296 62/78 6L 6,5 6d 18,25	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	RC46 K011		VFR800 RC46A 02-05 + W 98-01	296 62/78 6L 6,5 6d 18,25	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	RC46 e1 / 0132	O	VFR800 RC46C 02-05 ABS	296 62/78 6L 6,5 6d 18,25	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	RC46 e1 / 0132	O	VFR800 RC46C 02-05 ABS	296 62/78 6L 6,5 6d 18,25	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	RC46 e1 / 0132		VFR800 RC46/06 06-12	296 62/78 6L 6,5 6d 18,25	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	RC46 e1 / 0132		VFR800 RC46/06 06-12	296 62/78 6L 6,5 6d 18,25	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
			800 VFR -13	Supprime l'ABS (si montage des étriers)	AO	O	O	CR12/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
			800 VFR -13	Supprime l'ABS (si montage des étriers)	AO	O	O	CR12/CA12	BRO/BR12, BAO/BA12		4		H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
raus da ABS	RC79 e4 /3054	O	800 VFR 2014-2019 ABS		AO	O	O	CR12/CA12	BRO/BR14, BAO/BA14			A	4R11A	4R01A	O		H18RGF	H18RDF	O	H18RGI or A.M with TÜV or Orig.	H18RDI or A.M with TÜV or Orig.	310
	SC28 G034		900 CBR 92 -93	296 62/78 6L 6,5 6d 18,25	A	O	O	CC	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	SC28 G034		900 CBR 92 -93	296 62/78 6L 6,5 6d 18,25	A	O		CC	BRO/BR12, BAO/BA12		4		H11	H01	O		H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	SC33 H294		900 CBR 94-97	297mm 58/74 6L 6,5 6d 18h	A	O	O	CC	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H10RGF	H10RDF	O	H10RGI or A.M disc with TÜV or Orig.	H10RDI or A.M disc with TÜV or Orig.	297
	SC33 H294		900 CBR 94-97	297mm 58/74 6L 6,5 6d 18h	A	O		CC	BRO/BR12, BAO/BA12		4		H11	H01	O		H10RGF	H10RDF	O	H10RGI or A.M disc with TÜV or Orig.	H10RDI or A.M disc with TÜV or Orig.	297
	SC33 H294		900 CBR RR 98-99	310mm/62/78 6L 6,5 6 22H	A	O	O	CC	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H4RGF or H7RGF + distance	H4RDF or H7RDF + distance	O	H4RGI or H7RGI+ distance	H4RDI or H7RDI+ distance	310
	SC33 H294		900 CBR RR 98-99	310mm/62/78 6L 6,5 6 22H	A	O		CC	BRO/BR12, BAO/BA12		4		H11	H01	O		H4RGF or H7RGF + distance	H4RDF or H7RDF + distance	O	H4RGI or H7RGI+ distance	H4RDI or H7RDI+ distance	310
	SC44 e13/0019		900 CBR 00-01 929ccm (Ø330)	330mm	A	O	O	CC	BRO/BR14, BAO/BA14		4	A	H11	H01	O				O	H14RGI (330)	H14RDI (330)	330
	SC44 e13/0019		900 CBR 00-01 929ccm (Ø330)	330mm	A	O		CC	BRO/BR12, BAO/BA12		4		H11	H01	O				O	H14RGI (330)	H14RDI (330)	330

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	SC50 e13/0052		900 CBR 02- 954ccm (Ø330)	330mm	A	O	O	CC	BRO/BR14, BAO/BA14		4	A	H11	H01	O			O	H14RGI (330)	H14RDI (330)	330	
	SC50 e13/0052		900 CBR 02- 954ccm (Ø330)	330mm	A	O	O	CC	BRO/BR12, BAO/BA12		4		H11	H01	O			O	H14RGI (330)	H14RDI (330)	330	
	SC 48 e13 / 0051		900 Hornet 02-	297mm	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H11	H01			H13RGF	H13RDF	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
	SC 48 e13 / 0051		900 Hornet 02-	297mm	AO	O		CC	BRO/BR12, BAO/BA12		4		H11	H01			H13RGF	H13RDF	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
	SC 48 e13 / 0051		900 Hornet 06-08	297mm	AO	O	O	CC	BRO/BR14, BAO/BA14		4	A	H11	H01			H13RGF	H13RDF	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
	SC 48 e13 / 0051		900 Hornet 06-08	297mm	AO	O		CC	BRO/BR12, BAO/BA12		4		H11	H01			H13RGF	H13RDF	O	H13RGI or A.M disc with TÜV or Orig.	H13RDI or A.M disc with TÜV or Orig.	297
	Sc 21 E513		CBR 1000F 87-	296mm 144/166 12(6) 10,5 6d 5,5H	AO	O	O	CRO/CR14 + CAO/CA14	BRO/BR14, BAO/BA14		4	A	H11	H01			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	Sc 21 E513		CBR 1000F 87-	296mm 144/166 12(6) 10,5 6d 5,5H	AO	O		CRO/CR14 + CAO/CA14	BRO/BR12, BAO/BA12		4		H11	H01			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	SC24 F143		CBR 1000F 88-	296mm 144/166 12(6) 10,5 6d 5,5H	AO	O	O	CRO/CR14 + CAO/CA14	BRO/BR14, BAO/BA14		4	A	H11	H01			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	SC24 F143		CBR 1000F 88-	296mm 144/166 12(6) 10,5 6d 5,5H	AO	O		CRO/CR14 + CAO/CA14	BRO/BR12, BAO/BA12		4		H11	H01			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
			CBR1000F 89-92		AO	O	O	CRO/CR14 + CAO/CA14	BRO/BR14, BAO/BA14		4	A	H12	H02			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
			CBR1000F 89-92		AO	O		CRO/CR14 + CAO/CA14	BRO/BR12, BAO/BA12		4		H12	H02			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	SC30 G301		CB 1000 F Big-One,SuperF 93-96	310mm 58/74 6L 6,5 6d 18 h	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H21RGF	H21RDF	O	H21RGI or A.M. disc with TÜV or Orig.	H21RDI or A.M. disc with TÜV or Orig.	310

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	SC30 G301		CB 1000 F Big-One, Super F 93-96	310mm 58/74 6L 6,5 6d 18 h	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01	O		H21RGF	H21RDF	O	H21RGI or A.M. disc with TÜV or Orig.	H21RDI or A.M. disc with TÜV or Orig.	310
			CB1000 R 94-96	310mm 58/74 6L 6,5 6d 22h	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H3RGF	H3RDF	O	H3RGI or A.M. disc with TÜV or Orig.	H3RDI or A.M. disc with TÜV or Orig.	297
			CB1000 R 94-96	310mm 58/74 6L 6,5 6d 22h	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01	O		H3RGF	H3RDF	O	H3RGI or A.M. disc with TÜV or Orig.	H3RDI or A.M. disc with TÜV or Orig.	297
	SC58 e3 / 0373		1000 CBF 06-13	297mm94/110m 6L 6,5 13,25 6d + distance dazu	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			H13RGF + distance 5mm	H13RDF + distance 5mm	O	H13RGI or A.M. disc with TÜV or Orig.	H13RDI or A.M. disc with TÜV or Orig.	297
	SC58 e3 / 0373		1000 CBF 06-16	297mm94/110m 6L 6,5 13,25 6d + distance dazu	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12	H02			H13RGF + distance 5mm	H13RDF + distance 5mm	O	H13RGI or A.M. disc with TÜV or Orig.	H13RDI or A.M. disc with TÜV or Orig.	297
			1000 CBF 06-16	Removes ABS (if calipers are added)	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			H13RGF + distance 5mm	H13RDF + distance 5mm	O	H13RGI or A.M. disc with TÜV or Orig.	H13RDI or A.M. disc with TÜV or Orig.	297
			1000 CBF 06-16	Removes ABS (if calipers are added)	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12	H02			H13RGF + distance 5mm	H13RDF + distance 5mm	O	H13RGI or A.M. disc with TÜV or Orig.	H13RDI or A.M. disc with TÜV or Orig.	297
	SC60 e4/1912	O	CB 1000 R 2008 ohne Abs	310mm 94/110 6L 6 6d 12,5h	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14			A	4R11A	4R01A	O		H18RGF	H18RDF	O	H18RGI or A.M. with TÜV or Orig.	H18RDI or A.M. with TÜV or Orig.	310
	SC60 e4/1912	O	CB1000 R 2008 - 14 ABS	310mm 94/110 6L 6,5 6d 13,1 Removes ABS (if discs are added)	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14			A	4R11A	4R01A	O		H18RGF	H18RDF	O	H18RGI or A.M. with TÜV or Orig.	H18RDI or A.M. with TÜV or Orig.	310
		O	CB1000 R ABS 2018		AO	O	O	CC	BRO/BR14, BAO/BA14			A	4R11A	4R01A	O		H7RGF	H7RDF	O	H7RGI	H7RDI	310
		O	CB1000 R Neo Sport Cafe 2019		AO	O	O	CC	BRO/BR14, BAO/BA14			A	4R11A	4R01A	O		H7RGF	H7RDF	O	H7RGI	H7RDI	310
	SC57 e4*2002/24* 0269		1000 CBR RR 04-05	310mm 94/110 6L 6,5 6d 13,1 Removes ABS (if discs are added)	R	O	O	CRO/CR14 + CAO/CA14	BRO/BR14, BAO/BA14			A	4R11A	4R01A	O		H18RGF	H18RDF	O	H18RGI or A.M. with TÜV or Orig.	H18RDI or A.M. with TÜV or Orig.	310
	SC59 e4*2002/24* 1726		1000 CBR RR 06-07	320mm 94/110 6L 6,5 6d 13,1h	R	O	O	CRO/CR14 + CAO/CA14	BRO/BR14, BAO/BA14			A	4R11A	4R01A	O		H14RGF	H14RDF	O	H14RGI or A.M. disc with TÜV or Orig.	H14RDI or A.M. disc with TÜV or Orig.	320

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
			1000 CBR RR 08-09 no ABS	320mm 94/110 6L 6,5 6d 13,1h	R	O	O	CC	BRO/BR14, BAO/BA14			A	4R11A	4R01A	O		H14RGF + distance	H14RDF + distance	O	H14RGI or A.M. disc with TÜV or Orig.	H14DI or A.M. disc with TÜV or Orig.	320
raus da ABS	SC59 e4/0269	O	1000 CBR RR 08-16 Fireblade + SP 2014 ABS	320mm 94/110 6L 6,5 6d 13,1h Needs spacers for the disc and removes ABS (if discs are added)	R	O	O	CC	BRO/BR14, BAO/BA14			A	4R11A	4R01A	O		H14RGF + distance	H14RDF + distance	O	H14RGI or A.M. disc with TÜV or Orig.	H14DI or A.M. disc with TÜV or Orig.	320
		O	1000 CBR RR + SP1 from 2017-2019	320mm 94/110 5L 6,5 5D 18,25H	R	O	O	CC	BRO/BR14, BAO/BA14			A	4R11A	4R01A	O		H25RGF	H25RDF	O	H25RGI	H25RDI	320
		O	1000 CBR RR SP SP2 from 2017-2019		R	O	O	CC	BR14 /BA14 or Orig. MC			A	4R11A	4R01A	O		H25RGF	H25RDF	O	H25RGI	H25RDI	320
		O	1000 CBR RR SP 2020		R	O	O	CC	BR14 /BA14 or Orig. MC			A	4R12A	4R02A	O		H29RGF	H29RDF	O	H29RGI	H29RDI	330
	SC36 H687		1000 VTR 97-06	297mm 58/74 6L 6,5 6d 18h	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H10RGF	H10RDF	O	H10RGI or A.M. disc with TÜV or Orig.	H10RDI or A.M. disc with TÜV or Orig.	297
	SC36 H687		1000 VTR 97-06	297mm 58/74 6L 6,5 6d 18h	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01	O		H10RGF	H10RDF	O	H10RGI or A.M. disc with TÜV or Orig.	H10RDI or A.M. disc with TÜV or Orig.	297
			1000 VTR F 04-05	297mm 58/74 6L 6,5 6d 18h	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H10RGF	H10RDF	O	H10RGI or A.M. disc with TÜV or Orig.	H10RDI or A.M. disc with TÜV or Orig.	297
			1000 VTR F 04-05	297mm 58/74 6L 6,5 6d 18h	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01	O		H10RGF	H10RDF	O	H10RGI or A.M. disc with TÜV or Orig.	H10RDI or A.M. disc with TÜV or Orig.	297
	SC45 e4 / 0061		1000 VTR SP1	320mm 94/110 6L 6,5 6d 13,1h	A	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H14RGF	H14RDF	O	H14RGI or A.M. disc with TÜV or Orig.	H14DI or A.M. disc with TÜV or Orig.	320
	SC45 e4 / 0061		1000 VTR SP1	320mm 94/110 6L 6,5 6d 13,1h	A	O	O	CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01	O		H14RGF	H14RDF	O	H14RGI or A.M. disc with TÜV or Orig.	H14DI or A.M. disc with TÜV or Orig.	320
	SC45 e4 / 0061		1000 VTR SP2 04-05	320mm 94/110 6L 6,5 6d 13,1h	A	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H14RGF	H14RDF	O	H14RGI or A.M. disc with TÜV or Orig.	H14DI or A.M. disc with TÜV or Orig.	320
	SC45 e4 / 0061		1000 VTR SP2 04-05	320mm 94/110 6L 6,5 6d 13,1h	A	O	O	CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01	O		H14RGF	H14RDF	O	H14RGI or A.M. disc with TÜV or Orig.	H14DI or A.M. disc with TÜV or Orig.	320

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	RC51 EBE		1000 RTV R 2000-06	320mm 94/110 6L 6,5 6d 13,1h	A	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H14RGF	H14RDF	O	H14RGI or A.M. disc with TÜV or Orig.	H14DI or A.M. disc with TÜV or Orig.	320
	RC51 EBE		1000 RTV R 2000-06	320mm 94/110 6L 6,5 6d 13,1h	A	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01	O		H14RGF	H14RDF	O	H14RGI or A.M. disc with TÜV or Orig.	H14DI or A.M. disc with TÜV or Orig.	320
	SD01 e4 / 0009		XL1000V Varadero 99-2002	296 62/78 6L 6,5 6d 18,25	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	SD01 e4 / 0009		XL1000V Varadero 99-2002	296 62/78 6L 6,5 6d 18,25	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	SD02 e4 /0059		XL1000V Varadero 2000-06 link.-brake	296 62/78 6L 6,5 6d 18,25	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	SD02 e4 /0059		XL1000V Varadero 2000-06 link.-brake	296 62/78 6L 6,5 6d 18,25	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	SD02 e4 /0059	O	XL 100V Varadero 2004-09 with ABS	296 62/78 6L 6,5 6d 18,25	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	SD02 e4 /0059	O	XL 100V Varadero 2004-09 with ABS	296 62/78 6L 6,5 6d 18,25	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	SD03 e4 /0421	O	XL1000V Varadero 2010-(italy)ABS		AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	SD03 e4 /0421	O	XL1000V Varadero 2010-(italy)ABS		AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
		O	CRF 1000 L Africa Twin 2016-2019 ABS	2x310 disc	AO	O	O	CC	BRO/BR14, BAO/BA14			A	4R16A	4R06A	O		H26RGF	H26RDF	O	H26RGI or A.M. disc with TÜV or Orig.	H26RDI or A.M. disc with TÜV or Orig.	310
		O	CRF 1000 from 2018-2019 Africa Twin New Adventure ABS		AO	O	O	CC	BRO/BR14, BAO/BA14			A	4R16A	4R06A	O		H26RGF	H26RDF	O	H26RGI or A.M. disc with TÜV or Orig.	H26RDI or A.M. disc with TÜV or Orig.	310

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	JH2 SC65 e4 / 2859	O	CB 1100 B 13-14 Gussrad + EX Speichenrad from 2014	296mm 154/189 5L/20,5 4,5d 10 cast spoke wheels	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01								
	JH2 SC65 e4 / 2859	O	CB 1100 B 13-14 Gussrad + EX Speichenrad from 2014	296mm 154/189 5L/20,5 4,5d 10 casting wheels	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01								
		O	CB 1100 B - EX 13-19	spoke wheels 296mm speichenrad	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
		O	CB 1100 B - EX 13-19	spoke wheels 296mm speichenrad	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
		O	CB1100RS 2017-2019	310mm disc	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14			A	4R11A	4R01A	O		H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297
	SC23 G600		VT1100 C2+ACE Shadow 88-94*1 ABS yes+no		AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12								T3LGF		O	T3LGI		320
	SC23 G600		VT1100 C2+ACE Shadow 88-94*1 ABS yes+no		AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12						O	O	T3BF		O	T3BI		320
	SC32 H027		VT1100 C2/C3 Shadow+Ace 95-03	318	AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12								T3LGF		O	T3LGI or A.M disc with TÜV or Orig.		320
	SC32 H027		VT1100 C2/C3 Shadow+Ace 95-03	318	AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12						O	O	T3BF		O	T3BI		320
	SC39 K012		VT1100 C3 Shadow AERO 98-02	318	AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12								T3LGF		O	T3LGI or A.M disc with TÜV or Orig.		320
	SC39 K012		VT1100 C3 Shadow AERO 98-02	318	AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12						O	O	T3BF		O	TRBI		320
	SC26 F440		1100 ST Pan European no ABS 90-95	318mm no disc	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02			T3LGF	T3LDF	O	T3LGI or A.M disc with TÜV or Orig.	T3LDI or A.M disc with TÜV or Orig.	320

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	SC26 F440		1100 ST Pan European no ABS 90-95	318mm no disc	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12	H02			T3LGF	T3LDF	O	T3LGI or A.M disc with TÜV or Orig.	T3LDI or A.M disc with TÜV or Orig.	320
	SC26 F440		1100 ST Pan European no ABS 90-95	318mm no disc	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12	H02	O	O	T3BF	T3BF	O	T3BI	T3BI	320
	SC26 F440		1100 ST Pan European no ABS 90-95	318mm no disc	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12	H02	O	O	T3BF	T3BF	O	T3BI	T3BI	320
	SC26 F440	O	1100 ST Pan European Abs 96-2001	318mm no disc	AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14	NO Caliper TCS system	NO Caliper TCS system	NO Caliper TCS system	NO Caliper TCS system	NO Caliper TCS system			T3LGF	T3LDF	O	T3LDI	T3LGI	320
	SC26 F440	O	1100 ST Pan European Abs 96-2001	318mm no disc	AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14	NO Caliper TCS system	NO Caliper TCS system	NO Caliper TCS system	NO Caliper TCS system	NO Caliper TCS system	O	O	T3BF	T3BF	O	T3BI	T3BI	320
	SC26 F440	O	1100 ST Pan Europ.CBS/froms/TCS from96	296mm 144/166mm 12(6L) 10,5 6d 5,5H	AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14	NO Caliper TCS system	NO Caliper TCS system	NO Caliper TCS system	NO Caliper TCS system	NO Caliper TCS system			H2LGF	H2LDF	O	H2LGI or A.M disc with TÜV or Orig.	H2LDI or A.M disc with TÜV or Orig.	297
	SC35C H541		1100 CBR XX Blackbird 97-98	cancel ABS 310mm 58/74 6L 6,5 6d 22h	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01			H3RGF	H3RDF	O	H3RGI or A.M. disc with TÜV or Orig.	H3RDI or A.M. disc with TÜV or Orig.	297
	SC35C H541		1100 CBR XX Blackbird 97-98	cancel ABS 310mm 58/74 6L 6,5 6d 22h	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01			H3RGF	H3RDF	O	H3RGI or A.M. disc with TÜV or Orig.	H3RDI or A.M. disc with TÜV or Orig.	297
	SC35G e13 /0043		1100 CBR XX Blackbird 99-07	310mm/62/78 6L 6,5 6 18,mm high	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01			H7RGF	H7RDF	O	H7RGI or A.M. disc with TÜV or Orig.	H7DI or A.M. disc with TÜV or Orig.	310
	SC35G e13 /0043		1100 CBR XX Blackbird 99-07	310mm/62/78 6L 6,5 6 18,mm high	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01			H7RGF	H7RDF	O	H7RGI or A.M. disc with TÜV or Orig.	H7DI or A.M. disc with TÜV or Orig.	310
	SC42 e4 / 0026		CB 1100 SF X11 00-03	310mm/62/78 6L 6,5 6 18,mm high	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01			H7RGF	H7RDF	O	H7RGI or A.M. disc with TÜV or Orig.	H7DI or A.M. disc with TÜV or Orig.	310
	SC42 e4 / 0026		CB 1100 SF X11 00-03	310mm/62/78 6L 6,5 6 18,mm high	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01			H7RGF	H7RDF	O	H7RGI or A.M. disc with TÜV or Orig.	H7DI or A.M. disc with TÜV or Orig.	310

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	SC63 e4 /2383		VFR /VFR-DCT 1200 2010-16 no ABS	320mm 94/110 6L 6,5 6d 13,1h	AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14								H14RGF	H14RDF	O	H14RGI or A.M. disc with TÜV or Orig.	H14DI or A.M. disc with TÜV or Orig.	320
		O	VFR /VFR-DCT 1200 2010-16 with ABS	Supprime l'ABS (si montage des disques)	AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14								H14RGF	H14RDF	O	H14RGI or A.M. disc with TÜV or Orig.	H14DI or A.M. disc with TÜV or Orig.	320
raus da ABS	SC70 e4 /2701		VFR1200-X Crosstour. 2012-	310 5 loch fix disc	AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14													
raus da ABS	SC70 e4 /2701		VFR1200-X Crosstour.2012-(DCT/Park)		AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14													
			1300 CB 01-02	310mm/62/78 6L 6,5 6 18,mm high	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H7RGF	H7RDF	O	H7RGI or A.M. disc with TÜV or Orig.	H7DI or A.M. disc with TÜV or Orig.	310
			1300 CB 01-02	310mm/62/78 6L 6,5 6 18,mm high	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01	O		H7RGF	H7RDF	O	H7RGI or A.M. disc with TÜV or Orig.	H7DI or A.M. disc with TÜV or Orig.	310
	SC54 e4 / 0187		1300 CB SC54 02-04	310mm 94/110 6L 6 6d 12,5h	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H18RGF	H18RDF	O	H18RGI or A.M with TÜV or Orig.	H18RDI or A.M with TÜV or Orig.	310
	SC54 e4 / 0187		1300 CB SC54 02-04	310mm 94/110 6L 6 6d 12,5h	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01	O		H18RGF	H18RDF	O	H18RGI or A.M with TÜV or Orig.	H18RDI or A.M with TÜV or Orig.	310
	SC54 e4 / 0187		1300 CB SC54S 05-13 Halbschale		AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H18RGF	H18RDF	O	H18RGI or A.M with TÜV or Orig.	H18RDI or A.M with TÜV or Orig.	310
	SC54 e4 / 0187		1300 CB SC54S 05-13 Halbschale		AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01	O		H18RGF	H18RDF	O	H18RGI or A.M with TÜV or Orig.	H18RDI or A.M with TÜV or Orig.	310
raus da ABS	SC54 e4 / 0187	O	1300 CB SC54A 05-ABS		AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01	O		H18RGF	H18RDF	O	H18RGI or A.M with TÜV or Orig.	H18RDI or A.M with TÜV or Orig.	310
raus da ABS	SC54 e4 / 0187	O	1300 CB SC54A 05-ABS		AO	O		CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4		H11	H01	O		H18RGF	H18RDF	O	H18RGI or A.M with TÜV or Orig.	H18RDI or A.M with TÜV or Orig.	310

Honda	type	ABS	Model	Remarks	OEM MC type	Our caliper compatible with OEM master cylinder ?	Our master cylinder compatible with OEM Caliper ?	Beringer clutch control	Beringer master cylinder	Caliper type			Caliper Fitment		OEM Caliper compatible with Beringer disc	Classic	Cast iron disc		Stainless Steel	Stainless steel disc		OEM disc
										2 Pot classic	4 pot axial	Aerotec 6 pot or 4 pot radial	Left	Right			Left	Right		Left	Right	
	JH2 SC51 e1/0147	O	1300ST Pan European 02-07 no ABS from 2008 with ABS	310mm 94/110 6L 6 6d 12,5h	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H11	H01			H18RGF + distance	H18RDF + distance	O	H18RGI + distance	H18RDI + distance	310
	JH2 SC51 e1/0147	O	1300ST Pan European 02-07 no ABS from 2008 with ABS	310mm 94/110 6L 6 6d 12,5h	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H11	H01			H18RGF + distance	H18RDF + distance	O	H18RGI + distance	H18RDI + distance	310
	SC52 e4 / 0152		VTX 1300 C+S 03-08 CUS.		AO	O	O	CC	BRO/BR12, BAO/BA12		4	A		H02								
	SC52 e4 / 0152		VTX 1300 C+S 03-08 CUS.		AO	O		CC	BRO/BR10, BAO/BA10		4			H02								
	SC61 e4 / 2268		VTX 1300 CX Fury 10-12	*1	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4	A	H12									
	SC61 e4 / 2268		VTX 1300 CX Fury 10-12	*1	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12									
	SC61 e4 / 2268	O	VTX 1300 CX Fury 10-12 ABS	*1	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12									
raus da ABS			1300 CT-CX 2014	Cancel ABS	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4	A	H12									
raus da ABS			1300 CT-CX 2014	Cancel ABS	AO	O		CRO/CR12 + CAO/CA12	BRO/BR10, BAO/BA10		4		H12									
raus da ABS			1300 CTX 2014	Cancel ABS	AO	O	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14		4	A	H12				H7GRF		O	H7RGI or A.M. disc with TÜV or Orig.		310
raus da ABS			1300 CTX 2014	Cancel ABS	AO	O		CRO/CR12 + CAO/CA12	BRO/BR12, BAO/BA12		4		H12				H7GRF		O	H7RGI or A.M. disc with TÜV or Orig.		310
raus da ABS	SC 74 e4/3047	O	CTX 1300 DX 2014-ABS	310mm 94/110 6L 6 6d 12,5h	AO	NA	O	CRO/CR12 + CAO/CA12	BRO/BR14, BAO/BA14								H18RGF + distance	H18RDF + distance	O	H18RGI + distance	H18RDI + distance	310
	SC34 / H582		1500 F6C 1997-2003	296 62/78 6L 6,5 6d 18,25	AO	O	O	CROH12/CAOH12	BROH14/BAOH14		4	A	H12	H02			H5RGF	H5RDF	O	H5RGI or A.M. disc with TÜV or Orig.	H5RDI or A.M. disc with TÜV or Orig.	297

